



# PARKING TICKETS

## Technical Data Sheet



The following information is extracted from Tecnocarta's technical files and has been formulated independently by the company according to OEM specifications and tolerances, which means that you can ask us for any crazy customization you want!

**AMANO®****CALE®****MP**

57,5mm x 300m  
 thermal paper 81gm<sup>2</sup>  
 Int. Ø 50mm  
 Ext. Ø 200mm max.

**CAME® PARKARE®****PKE (1)**

57mm x 30m  
 thermal paper  
 Int. Ø 12,5mm  
 Ext. Ø 55mm max.

**PKE (2)**

57mm x 300m  
 thermal paper  
 Int. Ø 25,4mm  
 Ext. Ø 200mm max.

**X-Parc**

54mm x 86,5mm  
 thermal paper 177gm<sup>2</sup>  
 3 tickets / fold  
 5000 tickets / box



**DESIGNA®****DITECH®****Ticker**

26mm x 300m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 50mm  
Ext. Ø 200mm max.

**EQUINSA®****FAAC® / HUB®****(1)**

60mm x 120m  
thermal paper 105gm<sup>2</sup>  
Int. Ø 42mm  
Ext. Ø 210mm max.

**(2)**

60mm x 260m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 42mm  
Ext. Ø 170mm max.

**PM100**

54mm x 86,5mm  
thermal paper 215gm<sup>2</sup>  
3 tickets / fold  
3000 tickets / box  
LoCo magnetic stripe 12,7mm (optional)

***Ditech Barrier System***

54mm x 85,7mm  
thermal paper 190gm<sup>2</sup>  
2 tickets / fold  
5000 tickets / box

**Barcode**

54mm x 86,5mm  
thermal paper 180gm<sup>2</sup>  
3 tickets / fold  
3500 tickets / box

**Paragon / Park Plus**

54mm x 85,6mm  
thermal paper  
3 tickets / fold  
5000 tickets / box



**(3)**

60mm x 260m  
thermal paper 136gm<sup>2</sup>  
Int. Ø 42mm  
Ext. Ø 220mm max.

**(4)**

60mm x 320m  
thermal paper 105gm<sup>2</sup>  
Int. Ø 42mm  
Ext. Ø 210mm max.

**(5)**

60mm x 550m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 42mm  
Ext. Ø 230mm max.

**HECTRONIC®/ KIENZLE®****Citea / Cityline**

57mm x 350m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 70mm  
Ext. Ø 210mm max.

**METRIC®****Aura**

60mm x 260m  
thermal paper 100gm<sup>2</sup>  
Int. Ø 76mm

**Accent**

53mm x 69,7mm  
thermal paper 110gm<sup>2</sup>  
5000 tickets / box



**PARKEON®****BNA**

60mm x 455m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 71mm  
Ext. Ø 230mm max.

**DG4**

57mm x 338m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 71mm  
Ext. Ø 210mm max.

**Galexio**

54mm x 400m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 71mm  
Ext. Ø 210mm max.

**Stelio / Strada**

60mm x 455m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 71mm  
Ext. Ø 230mm max.

**RTB® / SIEMENS®****Pecuni / Primus / Prisma / Sity / Sicuro**

57mm x 350m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 70mm  
Ext. Ø 210mm max.

**Varioflex (CCS)**

54mm x 85,7mm  
thermal paper  
2 tickets / fold  
2000 tickets / box  
HiCo magnetic stripe 6,35mm (optional)



**SACS®****(1)**

54mm x 84,7mm  
thermal paper  
2 tickets / fold  
4000 tickets / box

**SCHEIDT & BACHMANN®****Parko 5**

54mm x 85,6mm  
thermal paper 230gm<sup>2</sup>  
3 tickets / fold  
4500 tickets / box

**PMS**

54mm x 85,6mm  
thermal paper 230gm<sup>2</sup>  
3 tickets / fold  
4500 tickets / box  
HiCo magnetic stripe 6,35mm

**SKIDATA®****TK450**

54mm x 85,6mm  
thermal paper 230gm<sup>2</sup>  
2 tickets / fold  
5000 tickets / box

**TKC450**

54mm x 85,6mm  
thermal paper 230gm<sup>2</sup>  
2 tickets / fold  
5000 tickets / box  
LoCo magnetic stripe 12,7mm



**SOLARI UDINE®****Solari**

59,5mm x 230m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 42mm  
Ext. Ø 160mm max.

**Spazio Seiko**

80mm x 200m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 25,5mm  
Ext. Ø 150mm max.

**VIATRON®****PDM-01 Italia**

60mm x 350m  
thermal paper 81gm<sup>2</sup>  
Int. Ø 50,8mm  
Ext. Ø 200mm max.

**WPS®****(1)**

60mm x 270m  
thermal paper 168/180 gm<sup>2</sup>  
Int. Ø 71mm  
Ext. Ø 270mm max.

**ZEAG®****Orion**

54mm x 86,5mm  
thermal paper 180gm<sup>2</sup>  
3 tickets / fold  
5000 tickets / box







# RFID WINDSHIELD LABELS

## Technical Data Sheet





Windshield labels can be pre-encoded and customized with logos, barcodes, QR codes and texts on both sides, in color or black & white. They can be encoded and printed with RFID printers that can also print labels.

---

Roll format  
Int. Ø 76mm  
2000 labels / roll

Label size: 27mm x 99,6mm  
White printable PET  
2000 labels / roll

UHF passive RFID tag  
Read range up to 8m  
Operating temperature range -30°C / +70°C  
To be applied on glass

